


Air Hose Solutions


Invincible™ Hybrid PU polymer

- Temperature Range: **-58°F to 248°F**
- Working Pressure @ 70°F: 300 PSI
- Burst Pressure **1200 psi**
- UV stabilized for long service life.
- Tough and resistant to constant flexing.
- Extremely flexible making it easier to rewind.
- Translucent blue, allowing easy visual inspection for lubrication or contamination
- In the field reparable hose ends eliminates down time
- Up to 50% lighter than other hoses.
- The most abrasion-resistant hose available.
- Retains flexibility in subzero (-50°) temperatures.
- Resistant to oils and greases.
- Resistant to chemicals
- Non-marring outer coating
- Warranty **(5yrs)**
- Cover & Tube: Premium hybrid PU polymer
- Interlayer: Reinforced polyester

Product	Description	Item #
	¼" ID PU hose 25 ft.	FA1425F
	¼" ID PU hose 50 ft.	FA1450F
	¼" ID PU hose 100 ft.	FA14100F
	⅜" ID PU hose 25 ft.	FA3825F
	⅜" ID PU hose 50 ft.	FA3850F
	⅜" ID PU hose 100 ft.	FA38100F
	½" ID PU hose 25 ft.	FA1225F
	½" ID PU hose 50 ft.	FA1250F
	½" ID PU hose 100 ft.	FA12100F


Invincible™ Premium Hybrid

- **-40°F to 180°F**
- Lightweight, lay flat and no memory, kink resistant under pressure
- Excellent abrasion resistant outer cover
- Flame, UV, Ozone, cracking, chemicals and oil resistance
- 300 psi maximum working pressure, 3:1 or 4:1 safety factor
- Bend restrictor for reducing wear and tear, and extending hose life
- Easy coiling after use

Product	Description	Item #
	¼" ID PU hose 25 ft.	YA1425F
	¼" ID PU hose 50 ft.	YA1450F
	¼" ID PU hose 100 ft.	YA14100F
	⅜" ID PU hose 25 ft.	YA3825F
	⅜" ID PU hose 50 ft.	YA3850F
	⅜" ID PU hose 100 ft.	YA38100F
	½" ID PU hose 25 ft.	YA1225F
	½" ID PU hose 50 ft.	YA1250F
	½" ID PU hose 100 ft.	YA12100F


Invincible™ Rubber NBR

- All weather flexibility even in sub-zero conditions: **-22°F to 176°F**
- Kink resistant under pressure
- Excellent abrasion resistant outer cover
- Flame, UV, Ozone, cracking, chemicals and RMA class A oil resistant
- 300 psi maximum working pressure, 3:1 or 4:1 safety factor
- Bend restrictor for reducing wear and tear, and extending hose life
- Easy coiling after use

Product	Description	Item #
	¼" ID NBR hose 25 ft.	GA1425F
	¼" ID NBR hose 50 ft.	GA1450F
	¼" ID NBR hose 100 ft.	GA14100F
	⅜" ID NBR hose 25 ft.	GA3825F
	⅜" ID NBR hose 50 ft.	GA3850F
	⅜" ID NBR hose 100 ft.	GA38100F
	½" ID NBR hose 25 ft.	GA1225F
	½" ID NBR hose 50 ft.	GA1250F
	½" ID NBR hose 100 ft.	GA12100F


Invincible™ Rubber EPDM

- All weather flexibility even in sub-zero conditions: **-30°F to 190°F**
- Abrasion resistant outer cover
- UV, Ozone, cracking, chemicals and RMA class C oil resistant
- 300 psi maximum working pressure, 3:1 or 4:1 safety factor
- Bend restrictor for reducing wear and tear, and extending hose life
- Easy coiling after use

Product	Description	Item #
	¼" ID EPDM hose 25 ft.	EA1425F
	¼" ID EPDM hose 50 ft.	EA1450F
	¼" ID EPDM hose 100 ft.	EA14100F
	⅜" ID EPDM hose 25 ft.	EA3825F
	⅜" ID EPDM hose 50 ft.	EA3850F
	⅜" ID EPDM hose 100 ft.	EA38100F
	½" ID EPDM hose 25 ft.	EA1225F
	½" ID EPDM hose 50 ft.	EA1250F
	½" ID EPDM hose 100 ft.	EA12100F


Invincible™ Hybrid PVC

- All weather flexibility even in sub-zero conditions: **-25°F to 158°F**
- Lightweight, lay flat and no memory, kink resistant under pressure
- Abrasion resistant outer cover
- UV, Ozone, cracking, chemicals and oil resistance
- 300 psi maximum working pressure, 3:1 safety factor
- Bend restrictor for reducing wear and tear, and extending hose life
- Easy coiling after use

Product	Description	Item #
	¼" ID PVC hose 25 ft.	PA1425F
	¼" ID PVC hose 50 ft.	PA1450F
	¼" ID PVC hose 100 ft.	PA14100F
	⅜" ID PVC hose 25 ft.	PA3825F
	⅜" ID PVC hose 50 ft.	PA3850F
	⅜" ID PVC hose 100 ft.	PA38100F
	½" ID PVC hose 25 ft.	PA1225F
	½" ID PVC hose 50 ft.	PA1250F
	½" ID PVC hose 100 ft.	PA12100F


Invincible™ PVC

- Stay flexible in temperatures: **-10°F to 150°F**
- Lightweight, kink resistant under pressure
- Abrasion resistant outer cover; UV, Ozone, cracking, chemicals and oil resistance
- 300 psi maximum working pressure, 3:1 or 4:1 safety factor


Product	Description	Item #
	¼" ID PVC hose 25 ft.	VA1425F
	¼" ID PVC hose 50 ft.	VA1450F
	¼" ID PVC hose 100 ft.	VA14100F
	⅜" ID PVC hose 25 ft.	VA3825F
	⅜" ID PVC hose 50 ft.	VA3850F
	⅜" ID PVC hose 100 ft.	VA38100F
	½" ID PVC hose 25 ft.	VA1225F
	½" ID PVC hose 50 ft.	VA1250F
	½" ID PVC hose 100 ft.	VA12100F

Invincible™ TPR & PVC


- All weather flexibility even in sub-zero conditions: **-22°F to 158°F**
- Lightweight, abrasion, UV, Ozone, cracking, chemicals and oil resistance
- 300 psi maximum working pressure, 3:1 safety factor
- High visibility for added safety around the workshop and on site
- Manufactured in accordance with EN 2398
- Features high grade TPR (Thermoplastic Rubber) inner tube and a clear PVC outer coating
- Guaranteed Silicon-free for use in the body shop

Product	Description	Item #
	¼" ID TPR & PVC hose 25 ft.	HA1425F
	¼" ID TPR & PVC hose 50 ft.	HA1450F
	¼" ID TPR & PVC hose 100 ft.	HA14100F
	⅜" ID TPR & PVC hose 25 ft.	HA3825F
	⅜" ID TPR & PVC hose 50 ft.	HA3850F
	⅜" ID TPR & PVC hose 100 ft.	HA38100F
	½" ID TPR & PVC hose 25 ft.	HA1225F
	½" ID TPR & PVC hose 50 ft.	HA1250F
	½" ID TPR & PVC hose 100 ft.	HA12100F


Invincible™ Air Hose Reel AHRS01
<ul style="list-style-type: none"> • Steel Construction – Heavy duty steel construction with corrosion resistant powder coating • Multiple guide arm positions provide versatile uses and easier field adjustment • Non-Snag Roller – Four direction rollers reduce hose wear abrasion • Self-Laying System – Heavy duty spring powered auto rewind • Easy Mounting – Base can be mounted on wall, ceiling or floor • Adjustable Hose Stopper – Ensures the outlet hose can be set for different heights specific to the application

Product	Description	Length of hose	Item #
	3/8" ID steel auto-retractable air hose reel with Invincible™ PU hybrid hose	50 ft	AHRS01-YA3815
	3/8" ID steel auto-retractable air hose reel with Invincible™ PVC hose	50 ft	AHRS01-FA3815
	3/8" ID steel auto-retractable air hose reel with Invincible™ rubber hose	50 ft	AHRS01-GA3815


Invincible™ Air Hose Reel AHRP02
<ul style="list-style-type: none"> • PP Construction – For impact and Ozone resistance, UV stabilization and durability • Self-Laying System – For hose neat auto retraction • Optional-Position Lock – Locks the hose at any length you want • Swivel Mounting Bracket – Can be wall or ceiling mounted • Adjustable Hose Stopper – Ensures the outlet hose reachable • Metal Handle – Removes the reel easily

Product	Description	Length of hose	Item #
	3/8" ID polypropylene auto-retractable air hose reel with Invincible™ PU hybrid hose	50 ft	AHRP01-YA3815
	3/8" ID polypropylene auto-retractable air hose reel with Invincible™ PU hose	50 ft	AHRP01-FA3815
	3/8" ID polypropylene auto-retractable air hose reel with Invincible™ PVC hose	50 ft	AHRP01-PA3815

Invincible™ Air Hose Reel AHRI01
<ul style="list-style-type: none"> • PP Construction – For impact and Ozone resistance, UV stabilization and durability • Self-Laying System – For hose neat auto retraction • Optional-Position Lock – Locks the hose at any length you want • Swivel Mounting Bracket – Can be wall or ceiling mounted • Adjustable Hose Stopper – Ensures the outlet hose reachable • Handle – Removes the reel easily

Product	Description	Length of hose	Item #
	3/8" ID polypropylene auto-retractable air hose reel with Invincible™ PU hybrid hose	50 ft	AHRP02-YA3815
	3/8" ID polypropylene auto-retractable air hose reel with Invincible™ PU hose	50 ft	AHRP02-FA3815
	3/8" ID polypropylene auto-retractable air hose reel with Invincible™ PVC hose	50 ft	AHRP02-PA3815

Invincible™ Air Hose Reel AHRI01
<ul style="list-style-type: none"> • Lightweight frame construction • Hose reel and hose is portable and manual • Foldaway reel winding handle • Ergonomic foam grip handle • 360° rotation base • Rubber feet on the bottom of the base

Product	Description	Length of hose	Item #
	1/4" ID powder coated iron air hose reel with Invincible™ PU hybrid hose	100 ft	AHRI01-YA1430
	1/4" ID powder coated iron air hose reel with Invincible™ PU hose	100 ft	AHRI01-FA1430
	1/4" ID powder coated iron air hose reel with Invincible™ PVC hose	100 ft	AHRI01-PA1430